

PolyStain 1-Step Kit — AP Detection System for Rabbit Antibodies (for Permanent Red)

> NB-23-00042-1 (110ml, no chromogen) NB-23-00042-2 (18ml, with Permanent Red) NB-23-00042-3 (6ml, with Permanent Red)



# PolyStain 1-Step Kit, AP Detection System Kit for Rabbit Antibodies (for Permanent Red)

(Polymer-AP detection system , biotin-free, Anti-rabbit)
Ready-to-use One Step Polymer Detection System

NB-23-00042-1 size: 110ml, no chromogen NB-23-00042-2 size: 18ml, with chromogen NB-23-00042-3 size: 6ml, with chromogen

#### **Intended Use:**

PolyStain 1-Step AP Rabbit Detection Kit is designed to use with user supplied rabbit antibody to detect targeted antigen on human tissue or cell samples. This kit has been tested in paraffin tissue. However, this kit can be used on frozen specimen and freshly prepared monolayer cell smears.

PolyStain 1-Step AP Rabbit Detection Kit is a one step polymer detection system that uses polymeric alkaline phosphatase (AP)-linked anti-rabbit IgG to directly detect primary antibody that bound to the tissue. This technology provides excellent sensitivity and high specificity. It is a biotin-free system, therefore, overcomes the non-specific staining caused by streptavidin/biotin system due to endogenous biotin<sup>1</sup>. It is a ONE step detection system that is much faster assay compared to traditional two step method (Biotinylated 2nd antibody, and then streptavidin-AP). These advantages provide laboratories the benefit of more accurate and quicker result, less trouble shooting and better cost-saving.

## **Kit Components:**

Component No.	Content	6mL Kit	18mL Kit	110mL Kit
Reagent 1	Polymer AP anti-Rabbit (RTU)	6mL	18mL	110mL
Reagent 2A	Permanent Red Substrate (RTU)	7mL	18mL	NA
Reagent 2B	Permanent Red Activator (5x)	1.4mL	3.6mL	NA
Reagent 2C	Permanent Red Chromogen (100x)	70μL	180μL	NA

## **Recommended Protocol:**

- 1. Fixation: To ensure the quality of the staining and obtain reproducible performance, user needs to supply appropriately fixed tissue and well prepared slides.
- 2. Tissue need to be adhered to the slide tightly to avoid tissue falling off.
- 3. Paraffin embedded section must be deparaffinized with xylene and rehydrated with a graded series of ethanol before staining.
- 4. Cell smear samples should be made as much monolayer as possible to obtain satisfactory results
- 5. Investigator needs to optimize dilution and incubation times for primary antibodies.
- 6. Three control slides will aid the interpretation of the result: positive tissue control, reagent control (slides treated with Isotype control reagent), and negative control.
- 7. Proceed IHC staining: DO NOT let specimen or tissue dry from this point on.
- We recommend TBS-T to be used as the wash buffer to get the highest sensitivity and clean background. Phosphate in the PBS-T may inhibit the activity of the alkaline phosphatase.
   Note: 1X TBS-T =50mM Tris HCl, 150mM NaCl, 0.05% Tween-20 pH7.6. (We recommend 10xTBS-T NB-23-00201)



9. Serum blocking before primary antibody incubation for Neo Biotech PolyStain 1-Step, PolyStain 2-Step, and PolyStain 2-Step Plus is not required because all our antibody conjugates are absorbed to human serum.

Reagent	Staining Procedure	Incubation Time (Min.)
1. Peroxidase Blocking	a. Incubate slides in peroxidese blocking reagent (Ready-to-use 3%	10
Reagent	H <sub>2</sub> O <sub>2</sub> solution) for 10 min.	
Supplied by user	b. Rinse the slide using distilled water.	
2. HIER Pretreatment:	a. Heat Induced Epitope Retrieval (HIER) may be required for	Refer to vendor's data
Refer to antibody data	primary antibody suggested by vendor.	sheet
sheet.	b. Wash with PBS-T containing 0.05% Tween-20 or 1X TBS-T	
	(See note 8 above); 3 times for 2 minutes each.	
3. Pre-Block (Optional)	a. Add 2 (100 μL) or more drops of 10% Normal Goat Serum to	10
Not provided	cover the tissue section and Incubate 10 min.	
	b. Drain or blot off solution. DO NOT RINSE.	
	c. See note 9 in recommended protocol	
4. Primary antibody:	Notes: Investigator needs to optimize dilution and incubation times	30-60
	a. Apply 2 (100 μL) or more drops of primary antibody to cover	
Supplied by user	the tissue completely. Incubate in moist chamber for 30-60 min.	
	c. Wash with PBS-T containing 0.05% Tween-20 or 1X TBS-T	
	(See note 8 above); 3 times for 2 minutes each.	
5. Reagent 1: HRP	a. Apply 2 (100 μL) or more drops of Polymer AP anti-	15-30
Polymer AP anti-Rabbit	Rabbit IgG to cover tissue section and Incubate in moist chamber for 15 min. (We recommend incubating the polymer	
IgG (Ready-to use)	up to 30mins for best sensitivity.)	
	b. Wash with 1X TBS-T only; 3 times for 2 minutes each.	
6. Reagent 2A, 2B, 2C	Note: Shake Permanent Red Activator before adding into	10
Reagent 2A:	Permanent Red Substrate.	-
Permanent Red	a. Add 200µL of <b>Reagent 2B</b> (Activator) into 1mL of <b>Reagent 2A</b>	
Substrate (RTU) Reagent	(Substrate buffer) and mix well. Add 10μL of Reagent	
2B:	<b>2C</b> (Chromogen) into the mixture and mix well.	
Permanent Red	( <b>Note</b> : For fewer slides, Add 100μL of Reagent 2B into 500μL of Reagent	
Activator (5x) Reagent	2A and mix well. Add 5μL of Reagent 2C into the mixture and mix well.)	
2C:	b. Apply 2 drops (100μL) or enough volume of Permanent Red	
Permanent Red	working solution to completely cover the tissue. Incubate for 10	
Chromogen (100x) To	min, observe appropriate color development. To increase AP	
get maximum sensitivity	signal aspirate or tap off chromogen and apply 2-3 drops	
of AP polymer, Repeat	(100μL) again of the Permanent Red working solution to	
chromogen	completely cover the tissue for additional 5 to 10min. c. c. Rinse well with distilled water.	
0.11		20.22
8. Hematoxylin:	a. Counterstain with 2 (100 ul) or more drops	20-30 seconds
Cumplied by uses	hematoxylin to cover tissue completely and wait about 20 seconds.	
Supplied by user.	b. Rinse well with tap water for 1-2 min.	
	c. Put slides in PBS until the color turn blue (about ½-1min.)	
	d. Rinse in distill water, then rinse well with tap water	
9. Mounting medium:	Follow the manufacture data sheet procedure for mounting.	Refer to insert
<b>0</b>	Recommended product:	
Supplied by user	1. NeoBio Mount AQ: Cat.# NB-00155-3 (18ml), for alcohol soluble	
	substrates (AEC, AP-Red and AP-blue)	
	2. NeoBio Mount Perm: Cat.# NB-23-00156 (18ml), for DAB and	
	BCIP/NBT	
	3. NeoBio Mount Universal: Cat.# NB-23-00157-2 (18ml), or	
	NB-23- 00157-1 (100ml), universal permanent mounting	
	medium. Can be used with or without cover slip	



#### **Protocol Notes:**

- 1. The fixation, tissue slide thickness, and primary antibody dilution and incubation time affect results significantly. Investigator needs to consider all factors and determine optimal conditions when interpreting the result.
- 2. Tissue staining is dependent upon the proper handling and processing of tissues prior to staining. Improper tissue preparation may lead to false negative results or inconsistent results.
- 3. Do not mix reagents from different lot.
- 4. Do not allow the slides to dry at any time during staining.
- 5. Permanent Red is insoluble in organic solvent and can be coversliped as well. however the dehydration steps must be shorter for optimal tissue structure and chromogen signal maintenance.

**Note:** Please wipe off extra water and air dry slides before dehydration and clear.

- a. 1x 80% Ethanol 20 seconds;
- b. 1x 95% Ethanol 20 seconds;
- c. 3x 100% Ethanol 20 seconds each;
- d. 1x 100% Xylene 20 seconds;
- e. Add 1 drop of xylene based mountant (NeoBio Mount Perm: Cat.# NB-23-00156) and coverslip. Press to push the air bubble out.

#### CAUTION: DO NOT dehydrate in xylene longer than 20 seconds! It will erase Permanent Red stain!

#### **Precautious:**

Please wear gloves and take other necessary precautions.

Remarks: For research use only.

Storage: Store at 4°C.

#### **References:**

- 1. Bisgaard K, Pluzed KP. Use of polymer conjugates in immunohitochemistry: A comparative study of a traditional staining method to a staining method utilizing polymer conjugates. Abstract XXI Intl Cong Intl Acad Pathol and 12th World Cong Acad Environ Pathol. Budapest, Hungry, October 20-25, 1996.
- 2. Shi ZR. Itzkowitz SH, Kim YS. A comparison of three immunoperoxidase techniques for antigen detection in colorectal carcimoma tissues. J Hitochem Cytochem 36:317-322,

### **Related products**

Product	Catalog No.	Size
PolyStain 1-Step AP Mouse/Rabbit Bulk kit	NB-23-00040-1	110ml
PolyStain 1-Step AP Mouse/Rabbit kit 18ml, 6ml	NB-23-00040-2 / -3	18ml / 6ml
PolyStain 1-Step Mouse Bulk kit	NB-23-00041-1	110ml
PolyStain 1-Step Mouse Kit 18ml, 6ml	NB-23-00041-2 / -3	18ml / 6ml
PolyStain 1-Step Goat Bulk kit	NB-23-00044-1	110ml
PolyStain 1-Step Goat Kit 18ml	NB-23-00044-2	18ml
PolyStain 1-Step AP Rat-NM Bulk kit (no x Mouse)	NB-23-00045-1	110ml
PolyStain 1-Step AP Rat-NM 18ml, 6ml (no x Mouse)	NB-23-00045-2 / -3	18ml / 6ml
PolyStain 1-Step AP Mouse-NR Bulk kit (no x Rat)	NB-23-00043-1	110ml
PolyStain 1-Step AP Mouse-NR 18ml, 6ml AEC Kit (no x Rat)	NB-23-00043-2 / -3	18ml / 6ml
Fast Red Kit	NB-23-00142	12Tab + 60ml
BCIP/NBP Kit	NB-23-00144-1 /-2	100ml / 18ml
NeoBio Mount AQ (Aqueous)	NB-23-0015533	18ml
NeoBio Mount Universal	NB-23- 00157-1 / -2	100ml / 18ml