


Rat Anti-Mouse CD68 [Clone FA-11]

Cat # NB-47-03278-25UG size: 25 μ g



Frozen mouse lymph node stained with rat anti-mouse CD68 at a 1/100 dilution followed by goat anti-rat IgG:HRP (NB-47-06057-500UG) at a 1/50 dilution. Western blot analysis of lysate from DU145 cells, primary antibody was diluted 1:1000, 4°C overnight.

Description

Rat anti Mouse CD68 antibody, clone FA-11 recognizes mouse macrosialin, a heavily glycosylated transmembrane protein and murine homolog of human CD68, classified as a unique scavenger receptor (ScR) family member, due to the presence of a lysosome associated membrane protein (LAMP)-like domain.

CD68 is considered a pan macrophage marker, predominantly expressed on the intracellular lysosomes of tissue macrophages/monocytes, including Kupffer cells, microglia, histiocytes and osteoclasts, and is expressed to a lesser extent by dendritic cells and peripheral blood granulocytes.

CD68 is expressed by many tumor types including some B cell lymphomas, blastic NK lymphomas, melanomas, granulocytic (myeloid) sarcomas, hairy cell leukemias, and renal, urinary and pancreatic tumors, and can be used to demonstrate the presence/localization of macrophages.

Rat anti mouse CD68 antibody, clone FA-11, has been used in many mouse models for the identification of CD68 in immunohistochemical assays, using both frozen and paraffin-embedded tissues (Masaki et al. 2003) and (Devey et al. 2009).

Rat anti mouse CD68 antibody, clone FA-11 can be used in flow cytometry to detect intracellular CD68, following permeabilization, and can detect surface macrosialin at low levels in resident mouse peritoneal macrophages which can be enhanced with thioglycollate stimulation.

Product Information

Host: Mouse
Applications: Flow Cytometry¹, Immunofluorescence, Immunohistology – Frozen, Immunohistology - Paraffin², Immunoprecipitation, Western Blotting³

¹ Membrane permeabilisation is required for this application.

²This product may require antigen retrieval using heat treatment prior to staining of paraffin sections. Either sodium citrate buffer or Tris/EDTA buffer may be used for this purpose. See Martin-Manso for details. Staining has also been achieved without antigen retrieval, see Lu for details.

³ Non-reducing conditions recommended.

Reactivity: Mouse
Clonality: Monoclonal
Clone: FA-11
Conjugation: Unconjugated
Isotype: IgG
Formulation: Phosphate buffered saline and 0.09% Sodium Azide. Carrier free
Purification: Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant.
Concentration: 1 mg/mL
Dilution Range: Flow Cytometry 1/50 - 1/100
Use 10ul of the suggested working dilution to label 10⁶ cells in 100ul.
Storage Instruction: This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody.
Storage in frost-free freezers is not recommended..

Target

Gene ID: 12514
Uniprot ID: P31996
Immunogen: Purified Concanavalin A acceptor glycoprotein from P815 cell line.
Specificity: TMEM30A polyclonal antibody (Cell Cycle Control Protein 50a) binds to endogenous Cell Cycle Control Protein 50a at the amino acid region 110-190.

References

Source Reference

- Smith, M. and Koch, G. (1987) Differential expression of murine macrophage surface glycoprotein antigens in intracellular membranes.
J Cell Sci. 87:113-9.

References for CD68 antibody

1. von Lukowicz, T. et al. (2008) PARP1 is required for adhesion molecule expression in atherogenesis. *Cardiovasc Res.* 78 (1): 158-66.
2. Mortensen, M. et al. (2011) The autophagy protein Atg7 is essential for hematopoietic stem cell maintenance. *J Exp Med.* 208: 455-67.
3. Bacci, M. et al. (2009) Macrophages are alternatively activated in patients with endometriosis and required for growth and vascularization of lesions in a mouse model of disease *Am J Pathol.* 175: 547-56.
4. Baran, C.P. et al. (2007) Important roles for macrophage colony-stimulating factor, CC chemokine ligand 2, and mononuclear phagocytes in the pathogenesis of pulmonary fibrosis. *Am J Respir Crit Care Med.* 176: 78-89.
5. Chavele, K.M. et al. (2010) Mannose receptor interacts with Fc receptors and is critical for the development of crescentic glomerulonephritis in mice. *J Clin Invest.* 120: 1469-78.
6. Doyle, K.P. et al. (2010) TGF β signaling in the brain increases with aging and signals to astrocytes and innate immune cells in the weeks after stroke. *J Neuroinflammation.* 7: 62.
7. Echeverry, A. et al. (2007) Murine neonates are highly resistant to *Yersinia enterocolitica* following orogastric exposure. *Infect Immun.* 75: 2234-43.
8. Gräbner, R. et al. (2009) Lymphotoxin beta receptor signaling promotes tertiary lymphoid organogenesis in the aorta adventitia of aged ApoE-/ mice. *J Exp Med.* 206: 233-48.
9. Kassim, S.H. et al. (2010) Gene therapy in a humanized mouse model of familial hypercholesterolemia leads to marked regression of atherosclerosis. *PLoS One.* 5(10):e13424.
10. Lebson, L. et al. (2010) Trafficking CD11b-positive blood cells deliver therapeutic genes to the brain of amyloid-depositing transgenic mice. *J Neurosci.* 30: 9651-8.
11. Plüddemann, A. et al. (2009) The macrophage scavenger receptor A is host-protective in experimental meningococcal septicaemia. *PLoS Pathog.* 5(2):e1000297.
12. Yin, F. et al. (2010) Exaggerated inflammation, impaired host defense, and neuropathology in progranulin-deficient mice. *J Exp Med.* 207: 117-28.
13. Giannattasio, G. et al. (2011) The purinergic g protein-coupled receptor 6 inhibits effector T cell activation in allergic pulmonary inflammation. *J Immunol.* 187: 1486-95.
14. Papadeas, S.T. et al. (2011) Astrocytes carrying the superoxide dismutase 1 (SOD1G93A) mutation induce wild-type motor neuron degeneration in vivo. *Proc Natl Acad Sci U S A.* 108: 17803-8.
15. Sun, D. et al. (2008) Bone marrow-derived cell regulation of skeletal muscle regeneration. *FASEB J.* 23: 382-95.
16. Douglas, G. et al. (2012) Endothelial-Specific Nox2 Overexpression Increases Vascular Superoxide and Macrophage Recruitment in ApoE-/ mice. *Cardiovasc Res.* 94: 20-9.
17. Kyaw, T. et al. (2012) Depletion of B2 but not B1a B cells in BAFF receptor-deficient ApoE mice attenuates atherosclerosis by potently ameliorating arterial inflammation. *PLoS One.* 7: e29371.
18. Nishiyama, K. et al. (2015) Mouse CD11b⁺ Kupffer Cells Recruited from Bone Marrow Accelerate Liver Regeneration after Partial Hepatectomy. *PLoS One.* 10 (9): e0136774.
19. Nakaya, M. et al. (2017) Cardiac myofibroblast engulfment of dead cells facilitates recovery after myocardial infarction. *J Clin Invest.* 127 (1): 383-401.
20. Ramprasad, M.P. et al. (1996) Cell surface expression of mouse macrosialin and human CD68 and their role as macrophage receptors for oxidized low density lipoprotein. *Proc Natl Acad Sci U S A.* 93 (25): 14833-8.
21. Rabinowitz, S.S. & Gordon, S. (1991) Macrosialin, a macrophage-restricted membrane sialoprotein differentially glycosylated in response to inflammatory stimuli. *J Exp Med.* 174 (4): 827-36.
22. da Silva, R.P. & Gordon, S. (1999) Phagocytosis stimulates alternative glycosylation of macrosialin (mouse CD68), a macrophage-specific endosomal protein. *Biochem J.* 338 (Pt 3): 687-94.
23. Schleicher, U. et al. (2005) Minute numbers of contaminant CD8+ T cells or CD11b+CD11c+ NK cells are the source of IFN-{gamma} in IL-12/IL-18-stimulated mouse macrophage populations. *Blood* 105: 1319-1328.

-
24. Choi, E.J. *et al.* (2014) Novel brain arteriovenous malformation mouse models for type 1 hereditary hemorrhagic telangiectasia. *PLoS One*. 9(2): e88511.
25. Kassim, S. *et al.* (2010) Gene therapy in a humanized mouse model of familial hypercholesterolemia leads to marked regression of atherosclerosis. *PLoS ONE* 5: e13424.
26. Rahaman, S.O. *et al.* (2011) Vav family Rho guanine nucleotide exchange factors regulate CD36-mediated macrophage foam cell formation. *J Biol Chem*. 286: 7010-7.
27. Frossard, J.L. *et al.* (2011) Role of CCL-2, CCR-2 and CCR-4 in cerulein-induced acute pancreatitis and pancreatitis-associated lung injury. *J Clin Pathol*. 64: 387-93
28. West, E.L. *et al.* (2010) Long-term survival of photoreceptors transplanted into the adult murine neural retina requires immune modulation. *Stem Cells*. 28: 1997-2007.
29. Lopez, M.E. *et al.* (2011) Anatomically defined neuron-based rescue of neurodegenerative niemann-pick type C disorder. *J Neurosci*. 31: 4367-78.
30. Jayagopal, A. *et al.* (2009) Quantum dot mediated imaging of atherosclerosis. *Nanotechnology*. 20: 165102.
31. Leung, V.W. *et al.* (2009) Decay-accelerating factor suppresses complement C3 activation and retards atherosclerosis in low-density lipoprotein receptor-deficient mice. *Am J Pathol*. 175: 1757-67.
32. Devey, L. *et al.* (2009) Tissue-resident macrophages protect the liver from ischemia reperfusion injury via a heme oxygenase-1-dependent mechanism. *Mol Ther*. 17: 65-72.
33. Lu, W. *et al.* (2010) Photoacoustic imaging of living mouse brain vasculature using hollow gold nanospheres. *Biomaterials*. 31: 2617-26.
34. de Beer, M.C. *et al.* (2003) Lack of a direct role for macrosialin in oxidized LDL metabolism. *J Lipid Res*. 44: 674-85.
35. Song, L. *et al.* (2011) Deletion of the murine scavenger receptor CD68. *J Lipid Res*. 52: 1542-50.
36. Daldrup-Link, H.E. *et al.* (2011) MR Imaging of Tumor Associated Macrophages with Clinically-Applicable Iron Oxide Nanoparticles. *Clin Cancer Res*. 17: 5695-704.
37. Macauley, S.L. *et al.* (2011) The Role of Attenuated Astrocyte Activation in Infantile Neuronal Ceroid Lipofuscinosis *J. Neurosci* 31: 15575-85.
38. Martin-Manso, G. *et al.* (2008) Thrombospondin 1 promotes tumor macrophage recruitment and enhances tumor cell cytotoxicity of differentiated U937 cells. *Cancer Res*. 68: 7090-9.
39. Lazarini, F. *et al.* (2012) Early Activation of Microglia Triggers Long-Lasting Impairment of Adult Neurogenesis in the Olfactory Bulb *J Neurosci* 32: 3652-64
40. Hemmi, H. *et al.* (2009) A new triggering receptor expressed on myeloid cells (Trem) family member, Trem-like 4, binds to dead cells and is a DNAX activation protein 12-linked marker for subsets of mouse macrophages and dendritic cells. *J Immunol*. 182: 1278-86.
41. Akbarshahi, H. *et al.* (2012) Enrichment of Murine CD68(+)CCR2(+) and CD68(+)CD206(+) Lung Macrophages in Acute Pancreatitis-Associated Acute Lung Injury. *PLoS One*. 7: e42654.
42. Xiang, X. *et al.* (2016) TREM2 deficiency reduces the efficacy of immunotherapeutic amyloid clearance. *EMBO Mol Med*. 8 (9): 992-1004.
43. Masaki, T. *et al.* (2003) Heterogeneity of antigen expression explains controversy over glomerular macrophage accumulation in mouse glomerulonephritis. *Nephrol. Dial. Transplant* 18:178-81.
44. Dormishian, M. *et al.* (2013) Prokineticin receptor-1 is a new regulator of endothelial insulin uptake and capillary formation to control insulin sensitivity and cardiovascular and kidney functions. *J Am Heart Assoc*. 2 (5): e000411.
45. von Bargen, K. *et al.* (2014) Cervical Lymph Nodes as a Selective Niche for Brucella during Oral Infections. *PLoS One*. 10 (4): e0121790.
46. Hamour, S. *et al.* (2015) Local IL-17 Production Exerts a Protective Role in Murine Experimental Glomerulonephritis. *PLoS One*. 10 (8): e0136238.
47. Wang L *et al.* (2016) Bone Fracture Pre-Ischemic Stroke Exacerbates Ischemic Cerebral Injury in Mice. *PLoS One*. 11 (4): e0153835.
48. Nguyen, T.V. *et al.* (2016) Multiplex immunoassay characterization and species comparison of inflammation in acute and non-acute ischemic infarcts in human and mouse brain tissue. *Acta Neuropathol Commun*. 4 (1): 100.

-
49. Pena-Philippides, J.C. et al. (2016) *In vivo* inhibition of miR-155 significantly alters post-stroke inflammatory response. *J Neuroinflammation*. 13 (1): 287.
50. Paiva, A. A. et al. (2017) Apolipoprotein CIII Overexpression-Induced Hypertriglyceridemia Increases Nonalcoholic Fatty Liver Disease in Association with Inflammation and Cell Death. *Oxidative Med Cellular Longev*. 2017: 1-18.
51. Giraldo, J.A. et al. (2016) The impact of cell surface PEGylation and short-course immunotherapy on islet graft survival in an allogeneic murine model. *Acta Biomater*. pii: S1742-7061(16)30656-0. [Epub]
52. Masuda, T. et al. (2017) Growth Factor Midkine Promotes Nuclear Factor of Activated T Cells-Regulated T-Cell-Activation and Th1 Cell Differentiation in Lupus Nephritis. *Am J Pathol*. Feb 6. pii: S0002-9440(17)30029-9. [Epub]
53. Garofalo, S. et al. (2017) The glycoside oleandrin reduces glioma growth with direct and indirect effects on tumor cells. *J Neurosci*. Mar 14. pii: 2296-16. [Epub]
54. Maeda, K. et al. (2017) Inhibition of H3K9 methyltransferase G9a ameliorates methylglyoxal-induced peritoneal fibrosis. *PLoS One*. 12 (3): e0173706.
55. Nishikawa, K. et al. (2015) Resveratrol increases CD68⁺ Kupffer cells colocalized with adipose differentiation-related protein and ameliorates high-fat-diet-induced fatty liver in mice. *Mol Nutr Food Res*. 59 (6): 1155-70.
56. Nagy, B. et al. (2017) Different patterns of neuronal activity trigger distinct responses of oligodendrocyte precursor cells in the corpus callosum. *PLoS Biol*. 15 (8): e2001993.
57. Koh, A.J. et al. (2017) The skeletal impact of the chemotherapeutic agent etoposide. *Osteoporos Int*. 28 (8): 2321-33.
58. Menzies, R.I. et al. (2017) Hyperglycemia-induced Renal P2X7 Receptor Activation Enhances Diabetes-related Injury. *EBioMedicine*. 19: 73-83.
59. Takane, K. et al. (2017) Detrimental Effects of Centrally Administered Angiotensin II are Enhanced in a Mouse Model of Alzheimer Disease Independently of Blood Pressure. *J Am Heart Assoc*. 6 (4)Apr 20 [Epub].
60. Xuan, H. et al. (2017) Inhibition or deletion of angiotensin II type 1 receptor suppresses elastase-induced experimental abdominal aortic aneurysms. *J Vasc Surg*. Apr 20 [Epub].
61. Metghalchi, S. et al. (2018) Indoleamine 2 3-dioxygenase knockout limits angiotensin II-induced aneurysm in low density lipoprotein receptor-deficient mice fed with high fat diet. *PLoS One*. 13 (3): e0193737.
62. Hill, N.R. et al. (2018) RIPK3-deficient mice were not protected from nephrotoxic nephritis. *BMC Nephrol*. 19 (1): 61.
63. Fumagalli, S. et al. (2019) The phagocytic state of brain myeloid cells after ischemia revealed by superresolution structured illumination microscopy. *J Neuroinflammation*. 16 (1): 9.
64. Gratuze, M. et al. (2020) Impact of TREM2R47H variant on tau pathology-induced gliosis and neurodegeneration *J Clin Invest*130(9):4954-68.
65. Garrett, M.C. et al. (2020) Injectable diblock copolyptide hydrogel provides platform to deliver effective concentrations of paclitaxel to an intracranial xenograft model of glioblastoma. *PLoS One*. 15 (7): e0219632.
66. Rahman, K. et al. (2017) Inflammatory Ly6Chi monocytes and their conversion to M2 macrophages drive atherosclerosis regression. *J Clin Invest*. 127 (8): 2904-15.
67. Santiago-Raber, M.L. et al. (2020) Atherosclerotic plaque vulnerability is increased in mouse model of lupus. *Sci Rep*. 10 (1): 18324.
68. Zhang, X. et al. (2020) Targeted suppression of microRNA-33 in lesional macrophages using pH low-insertion peptides (pHLIP) improves atherosclerotic plaque regression *Oct 28*. [Epub].
69. Hada, Y. et al. (2020) Inhibition of interleukin-6 signaling attenuates aortitis, left ventricular hypertrophy and arthritis in interleukin-1 receptor antagonist deficient mice. *Clin Sci (Lond)*. 134 (20): 2771-87.
70. Souza, C.L.S.E. et al. (2020) Ovarian hormones influence immune response to *Staphylococcus aureus* infection. *Braz J Infect Dis*. Nov 10 [Epub].

-
71. Grundmann, S.M. *et al.* (2020) High-phosphorus diets reduce aortic lesions and cardiomyocyte size and modify lipid metabolism in Ldl receptor knockout mice. *Sci Rep.* 10 (1): 20748.
 72. Mia, M.M. *et al.* (2020) YAP/TAZ deficiency reprograms macrophage phenotype and improves infarct healing and cardiac function after myocardial infarction. *PLoS Biol.* 18 (12): e3000941.
 73. Zaghloul, N. *et al.* (2020) Prophylactic inhibition of NF-κB expression in microglia leads to attenuation of hypoxic ischemic injury of the immature brain. *J Neuroinflammation.* 17 (1): 365.
 74. Huang, J. *et al.* (2020) Bone Fracture Enhanced Blood-Brain Barrier Breakdown in the Hippocampus and White Matter Damage of Stroke Mice. *Int J Mol Sci.* 21 (22)Nov 11 [Epub].
 75. Lowe, P.P. *et al.* (2020) Chronic alcohol-induced neuroinflammation involves CCR2/5-dependent peripheral macrophage infiltration and microglia alterations. *J Neuroinflammation.* 17 (1): 296.
 76. Stroobants, S. *et al.* (2020) Aged Tmem106b knockout mice display gait deficits in coincidence with Purkinje cell loss and only limited signs of non-motor dysfunction. *Brain Pathol.* : e12903.
 77. Alberti, S. *et al.* (2020) The antiplatelet agent revacept prevents the increase of systemic thromboxane A₂ biosynthesis and neointima hyperplasia. *Sci Rep.* 10 (1): 21420.
 78. Härdtner, C. *et al.* (2020) Inhibition of macrophage proliferation dominates plaque regression in response to cholesterol lowering. *Basic Res Cardiol.* 115 (6): 78.
 79. Ribeiro, P.C. *et al.* (2020) Therapeutic potential of human induced pluripotent stem cells and renal progenitor cells in experimental chronic kidney disease. *Stem Cell Res Ther.* 11 (1): 530.
 80. Miró, L. *et al.* (2020) Dietary Supplementation with Spray-Dried Porcine Plasma Attenuates Colon Inflammation in a Genetic Mouse Model of Inflammatory Bowel Disease. *Int J Mol Sci.* 21(18): 6760.
 81. Zhou, F. *et al.* (2020) β-Carotene conversion to vitamin A delays atherosclerosis progression by decreasing hepatic lipid secretion in mice. *J Lipid Res.* 61 (11): 1491-1503.
 82. Nelvagal, H.R. *et al.* (2020) Comparative proteomic profiling reveals mechanisms for early spinal cord vulnerability in CLN1 disease. *Sci Rep.* 10 (1): 15157.
 83. Grubišić, V. *et al.* (2020) Enteric Glia Modulate Macrophage Phenotype and Visceral Sensitivity following Inflammation. *Cell Rep.* 32 (10): 108100.
 84. Riedl, K.A. *et al.* (2020) Wall shear stress analysis using 17.6 Tesla MRI: A longitudinal study in ApoE-/ mice with histological analysis. *PLoS One.* 15 (8): e0238112.
 85. Rojanathammanee, L. *et al.* (2013) Pomegranate polyphenols and extract inhibit nuclear factor of activated T-cell activity and microglial activation *in vitro* and in a transgenic mouse model of Alzheimer disease. *J Nutr.* 143 (5): 597-605.
 86. Shahraz, A. *et al.* (2021) Phagocytosis-related NADPH oxidase 2 subunit gp91phox contributes to neurodegeneration after repeated systemic challenge with lipopolysaccharides. *Glia.* 69 (1): 137-50.
 87. Shi, Q. *et al.* (2021) Ultrasound-mediated blood-brain barrier disruption improves anti-pyroglutamate3 Aβ antibody efficacy and enhances phagocyte infiltration into brain in aged Alzheimer's disease-like mice *bioRxiv preprint:* Jan 17 [Epub].
 88. Alam, M.M. *et al.* (2021) Deficiency of microglial autophagy increases the density of oligodendrocytes and susceptibility to severe forms of seizures. *eNeuro.* Jan 14 [Epub].
 89. Langin, L. *et al.* (2020) A tailored Cln3^{Q352X} mouse model for testing therapeutic interventions in CLN3 Batten disease. *Sci Rep.* 10 (1): 10591.
 90. Allen, B.D. *et al.* (2020) Mitigation of helium irradiation-induced brain injury by microglia depletion. *J Neuroinflammation.* 17 (1): 159.
 91. Drost, N. *et al.* (2020) The Amyloid-beta rich CNS environment alters myeloid cell functionality independent of their origin. *Sci Rep.* 10 (1): 7152.
 92. Vandestienne, M. *et al.* (2021) TREM-1 orchestrates angiotensin II-induced monocyte trafficking and promotes experimental abdominal aortic aneurysm. *J Clin Invest.* 131 (2): e142468.
 93. Apodaca, L.A. *et al.* (2021) Human neural stem cell-derived extracellular vesicles mitigate hallmarks of Alzheimer's disease. *Alzheimers Res Ther.* 13 (1): 57.
 94. Colombo, A. *et al.* (2021) Loss of NPC1 enhances phagocytic uptake and impairs lipid trafficking in microglia. *Nat Commun.* 12 (1): 1158.

-
95. Galle-Treger, L. et al. (2020) Targeted invalidation of SR-B1 in macrophages reduces macrophage apoptosis and accelerates atherosclerosis. *Cardiovasc Res.* 116 (3): 554-565.
96. Sun, Y. et al. (2008) Temporal gene expression profiling reveals CEBPD as a candidate regulator of brain disease in prosaposin deficient mice. *BMC Neurosci.* 9: 76.
97. Miteva, K. et al. (2020) Cardiotrophin-1 Deficiency Abrogates Atherosclerosis Progression. *Sci Rep.* 10 (1): 5791.
98. El Gaamouch, F. et al. (2020) VGF-derived peptide TLQP-21 modulates microglial function through C3aR1 signaling pathways and reduces neuropathology in 5xFAD mice. *Mol Neurodegener.* 15 (1): 4.
99. Chen, Y. et al. (2018) Programulin associates with hexosaminidase A and ameliorates GM2 ganglioside accumulation and lysosomal storage in Tay-Sachs disease. *J Mol Med (Berl).* 96 (12): 1359-73.
100. Gökbüget, D. et al. (2018) The miRNA biogenesis pathway prevents inappropriate expression of injury response genes in developing and adult Schwann cells. *Glia.* 66 (12): 2632-2644.
101. Papaneophytou, C.P. et al. (2018) Regulatory role of oligodendrocyte gap junctions in inflammatory demyelination. *Glia.* 66 (12): 2589-603.
102. Lim, S.L. et al. (2020) Genetic Ablation of Hematopoietic Cell Kinase Accelerates Alzheimer's Disease-Like Neuropathology in Tg2576 Mice. *Mol Neurobiol.* 57 (5): 2447-60.
103. Gajeton, J. et al. (2021) Hyperglycemia-Induced miR-467 Drives Tumor Inflammation and Growth in Breast Cancer. *Cancers (Basel).* 13(6):1346.
104. Leipner, J. et al. (2021) Myeloid cell-specific Irf5 deficiency stabilizes atherosclerotic plaques in Apoe^{-/-} mice. *Mol Metab.* May 12 : 101250 [Epub].
105. Shariq, M. et al. (2021) Adult neural stem cells have latent inflammatory potential that is kept suppressed by Tcf4 to facilitate adult neurogenesis. *Sci Adv.* 7 (21)May 21 [Epub].
106. Martínez-Beamonte, R. et al. (2021) Dietary Avian Proteins Are Comparable to Soybean Proteins on the Atherosclerosis Development and Fatty Liver Disease in Apoe-Deficient Mice *Nutrients.* 13 (6): 1838.
107. Colombo, A.V. et al. (2021) Microbiota-derived short chain fatty acids modulate microglia and promote Aβ plaque deposition. *Elife.* 10:e59826.
108. Ilyas, G. et al. (2019) Decreased Macrophage Autophagy Promotes Liver Injury and Inflammation from Alcohol. *Alcohol Clin Exp Res.* 43 (7): 1403-13.
109. Riester, K. et al. (2020) *In vivo* characterization of functional states of cortical microglia during peripheral inflammation. *Brain Behav Immun.* 87: 243-55.
110. Yuan, C. et al. (2018) Human Aldose Reductase Expression Prevents Atherosclerosis Regression in Diabetic Mice. *Diabetes.* 67 (9): 1880-91.
111. Johnson, T.B. et al. (2019) Changes in motor behavior, neuropathology, and gut microbiota of a Batten disease mouse model following administration of acidified drinking water. *Sci Rep.* 9 (1): 14962.
112. Kaji, N. et al. (2018) Disruption of the pacemaker activity of interstitial cells of Cajal via nitric oxide contributes to postoperative ileus. *Neurogastroenterol Motil.* Mar 15 [Epub].
113. Soto, I. et al. (2016) Meox2 haploinsufficiency increases neuronal cell loss in a mouse model of Alzheimer's disease. *Neurobiol Aging.* 42: 50-60.
114. Wagner, M. et al. (2019) Clinical improvement and enhanced collateral vessel growth after xenogenic monocyte transplantation. *Am J Transl Res.* 11 (7): 4063-76.
115. Zhang, Y. et al. (2019) Angiotensin II deteriorates advanced atherosclerosis by promoting MerTK cleavage and impairing efferocytosis through the AT₁R/ROS/p38 MAPK/ADAM17 pathway. *Am J Physiol Cell Physiol.* 317 (4): C776-C787.
116. Guo, S.D. et al. (2019) Nasal delivery of Fasudil-modified immune cells exhibits therapeutic potential in experimental autoimmune encephalomyelitis. *CNS Neurosci Ther.* 25 (6): 783-95.
117. Säälik, P. et al. (2019) Peptide-guided nanoparticles for glioblastoma targeting. *J Control Release.* 308: 109-18.

-
118. Welc, S.S. *et al.* (2019) Targeting a therapeutic LIF transgene to muscle via the immune system ameliorates muscular dystrophy. *Nat Commun.* 10 (1): 2788.
119. Matsumoto, K. *et al.* (2021) Juvenile social defeat stress exposure favors in later onset of irritable bowel syndrome-like symptoms in male mice. *Sci Rep.* 11 (1): 16276.
120. Martínez-Beamonte, R. *et al.* (2021) Dietary Avian Proteins Are Comparable to Soybean Proteins on the Atherosclerosis Development and Fatty Liver Disease in Apoe-Deficient Mice. *Nutrients.* 13 (6):1838.
121. Burgaz, S. *et al.* (2021) Neuroprotection with the Cannabidiol Quinone Derivative VCE-004.8 (EHP-101) against 6-Hydroxydopamine in Cell and Murine Models of Parkinson's Disease. *Molecules.* 26 (11): 3245.
122. Stachowicz, A. *et al.* (2021) Diminazene Aceturate Stabilizes Atherosclerotic Plaque and Attenuates Hepatic Steatosis in apoE-Knockout Mice by Influencing Macrophages Polarization and Taurine Biosynthesis. *Int J Mol Sci.* 22 (11): 5861
123. Park, G.T. *et al.* (2021) Echinochrome A Treatment Alleviates Fibrosis and Inflammation in Bleomycin-Induced Scleroderma. *Mar Drugs.* 19 (5): 237.
124. Götze, A.M. *et al.* (2020) IL10 Alters Peri-Collateral Macrophage Polarization and Hind-Limb Reperfusion in Mice after Femoral Artery Ligation. *Int J Mol Sci.* 21 (8): 2821.
125. Flores, I. *et al.* (2021) Myeloid cell-mediated targeting of LIF to dystrophic muscle causes transient increases in muscle fiber lesions by disrupting the recruitment and dispersion of macrophages in muscle. *Hum Mol Genet.* Aug 14 [Epub].
126. Nakata, Y. *et al.* (2021) Role of podoplanin and Kupffer cells in liver injury after ischemia-reperfusion in mice. *Surg Today.* Sep 26 [Epub].
127. Cheah, F.C. *et al.* (2021) Studying the Effects of Granulocyte-Macrophage Colony-Stimulating Factor on Fetal Lung Macrophages During the Perinatal Period Using the Mouse Model. *Front Pediatr.* 9: 614209.
128. Dorighello, G.G. *et al.* (2021) Mild Mitochondrial Uncoupling Decreases Experimental Atherosclerosis, A Proof of Concept. *J Atheroscler Thromb.* Jun 04 [Epub].
129. Wiśniewska, A. *et al.* (2021) Inhibition of Atherosclerosis and Liver Steatosis by Agmatine in Western Diet-Fed apoE-Knockout Mice Is Associated with Decrease in Hepatic *De Novo* Lipogenesis and Reduction in Plasma Triglyceride/High-Density Lipoprotein Cholesterol Ratio. *Int J Mol Sci.* 22 (19): 10688.
130. Bourel, J. *et al.* (2021) Complement C3 mediates early hippocampal neurodegeneration and memory impairment in experimental multiple sclerosis *Neurobiology of Disease.* 160: 105533.
131. Freeley, S.J. *et al.* (2021) The lectin pathway does not contribute to glomerular injury in the nephrotoxic nephritis model. *Nephrology (Carlton).* Oct 21 [Epub].
132. Schippers, M. *et al.* (2020) Phosphate Groups in the Lipid A Moiety Determine the Effects of LPS on Hepatic Stellate Cells: A Role for LPS-Dephosphorylating Activity in Liver Fibrosis. *Cells.* 9 (12): 2708.
133. Härdtner, C. *et al.* (2020) Inhibition of macrophage proliferation dominates plaque regression in response to cholesterol lowering. *Basic Res Cardiol.* 115 (6): 78.
134. Yeo, K.P. *et al.* (2020) Efficient aortic lymphatic drainage is necessary for atherosclerosis regression induced by ezetimibe. *Sci Adv.* 6 (50): eabc2697.
135. Perez-Canamas, A. *et al.* (2021) Fronto-temporal dementia risk gene *TMEM106B* has opposing effects in different lysosomal storage disorders. *Brain Commun.* 3 (1): fcaa200.
136. Stavropoulos, F. *et al.* (2021) Aberrant Mitochondrial Dynamics and Exacerbated Response to Neuroinflammation in a Novel Mouse Model of CMT2A. *Int J Mol Sci.* 22 (21): 11569.
137. Tang, X. *et al.* (2021) Aloe-emodin derivative produces anti-atherosclerosis effect by reinforcing AMBRA1-mediated endothelial autophagy *Eur J Pharmacol.* 2021 Nov 17 : 174641.
138. Gómez-Almería, M. *et al.* (2021) BiP Heterozygosity Aggravates Pathological Deterioration in Experimental Amyotrophic Lateral Sclerosis. *Int J Mol Sci.* 22(22):12533.

-
139. Xiong, L. *et al.* (2021) Inflammation-dependent oxidative stress metabolites as a hallmark of amyotrophic lateral sclerosis. *Free Radic Biol Med.* 178: 125-33.
140. Merlin, J. *et al.* (2021) Non-canonical glutamine transamination sustains efferocytosis by coupling redox buffering to oxidative phosphorylation. *Nat Metab.* 3 (10): 1313-26.
141. Gratuze, M. *et al.* (2021) Activated microglia mitigate A β -associated tau seeding and spreading. *J Exp Med.* 218(8):e20210542.
142. Palandri, A. *et al.* (2022) Ablation of arginyl-tRNA-protein transferase in oligodendrocytes impairs central nervous system myelination. *Glia.* 70 (2): 303-20.
143. Rothe, R. *et al.* (2021) A modular, injectable, non-covalently assembled hydrogel system features widespread tunable degradability for controlled release and tissue integration. *Biomaterials.* 269: 120637.
144. Lee, H.J. *et al.* (2022) Effects of electroacupuncture on the functionality of NG2-expressing cells in perilesional brain tissue of mice following ischemic stroke. *Neural Regen Res.* 17 (7): 1556-65.
145. Bonaterra, G.A. *et al.* (2021) Characterization of atherosclerotic plaques in blood vessels with low oxygenated blood and blood pressure (Pulmonary trunk): role of growth differentiation factor-15 (GDF-15) *BMC Cardiovascular Disorders.* 21: 601.
146. van Gemst, J.J. *et al.* (2021) Blocking of inflammatory heparan sulfate domains by specific antibodies is not protective in experimental glomerulonephritis. *PLoS One.* 16 (12): e0261722.
147. Burgaz, S. *et al.* (2021) Preclinical Investigation in Neuroprotective Effects of the GPR55 Ligand VCE-006.1 in Experimental Models of Parkinson's Disease and Amyotrophic Lateral Sclerosis. *Molecules.* 26 (24):7643.
148. Jia, W. *et al.* (2022) MiRNA-126-5p inhibits apoptosis of endothelial cell in vascular arterial walls via NF- κ B/PI3K/AKT/mTOR signaling pathway in atherosclerosis. *J Mol Histol.* Jan 04 [Epub].
149. Luo, Y. *et al.* (2022) M1 macrophages impair tight junctions between endothelial cells after spinal cord injury. *Brain Res Bull.* 180: 59-72.
150. Chute, M. *et al.* (2022) ADAM15 is required for optimal collagen cross-linking and scar formation following myocardial infarction *Matrix Biology.* 05 Jan [Epub].
151. He, D. *et al.* (2021) Disruption of the IL-33-ST2-AKT signaling axis impairs neurodevelopment by inhibiting microglial metabolic adaptation and phagocytic function. *Immunity.* S1074-7613(21)00534-3.
152. Xiong, L. *et al.* (2022) Inflammation-dependent oxidative stress metabolites as a hallmark of amyotrophic lateral sclerosis. *Free Radic Biol Med.* 178: 125-3.
153. Bey, L. *et al.* (2022) TCDD aggravates the formation of the atherosclerotic plaque in ApoE KO mice with a sexual dimorphic pattern. *Biochimie.* 195: 54-58.

For reference only

For Research Use Only. Not for Diagnostic or Therapeutic Use.