

GENPure Ni-NTA Agarose

NB

Product	Catalog No.	Package size
GENPure Ni-NTA Agarose (10 mL)	NB-40-00005-10	20 mL 50% suspension
GENPure Ni-NTA Agarose (50 mL)	NB-40-00005-50	100 mL 50% suspension
GENPure Ni-NTA Agarose (250 mL)	NB-40-00005-250	500 mL 50% suspension
GENPure Ni-NTA Agarose (500 mL)	NB-40-00005-500	1000 mL 50% suspension

Product Description

GENPure Ni-NTA Agarose was developed for the affinity purification of proteins carrying a polyhistidine tag. This affinity chromatography matrix is based on BioWorks Workbeads, consisting of 7.5% cross-linked agarose. The material is highly porous to allow for optimal protein interaction. Cross-linked agarose is also physically very stable, making it suitable for purification processes under low pressure with flow rates up to 6 mL/min (optimal 0.5-2 mL/min). Our agarose is very homogeneous in size with a medium particle diameter of 40 μ m, yielding a high degree of reproducibility between individual purification runs.

An NTA ligand is coupled to the agarose matrix and carefully loaded with nickel ions to obtain an affinity matrix with highest binding capacity for histidine residues. The metal ion capacity is $> 15 \,\mu\text{eqv}$ Ni2+/mL. Other possible metal ions are Co2+, Zn2+, Fe3+, and Al3+, resulting in different affinities, e.g. for zinc- finger proteins or phosphorylated proteins. If required, the nickel ions can be removed from the agarose matrix using 5 wash steps with 100 mM EDTA, and the matrix can be recharged with a different metal ion. Alternatively, please contact us for unloaded NTA agarose matrix.

GENPure Ni-NTA Agarose is delivered as a 50% (v/v) suspension. Therefore, 2 mL suspension will yield a 1 ml bed volume. The suspension contains 20% ethanol to prevent microbial growth.

Protein Binding Capacity

The protein binding capacity is up to 70 mg/mL, as determined by purification of 6xHis-tagged GFP protein from E.coli cleared lysates, and quantified via spectrophotometry.

Compatibility

GENPure Ni-NTA Agarose is very stable and can resist the following conditions in most situations: pH 2-14, 100% methanol, 100% ethanol, 8 M urea, 6 M quanidinium hydrochloride, 30% (v/v) acetonitrile.

Neo Biotech 74 rue des Suisses – 92000 Nanterre

Shipping & Storage

Shipment Temperature	Ambient temperature
Short-term Storage	In neutral buffer at 4°C
Long-term Storage	In neutral buffer with 20% ethanol at 4 °C

Neo Biotech 74 rue des Suisses – 92000 Nanterre